

=> fil reg
 FILE 'REGISTRY' ENTERED AT 09:34:11 ON 03 MAR 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7
 DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

```
=> d sta que 122
L15      1959 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.5 AND 46.150.18)/RID
        AND PMS/CI
L16      59 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.6 AND 46.150.18)/RID
        AND PMS/CI
L17      2 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.7 AND 46.150.18)/RID
        AND PMS/CI
L18      2012 SEA FILE=REGISTRY ABB=ON PLU=ON (L15 OR L16 OR L17)
L19      STR
```




NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 6 3
 NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE
 L21 1903 SEA FILE=REGISTRY SUB=L18 SSS FUL L19
 L22 103 SEA FILE=REGISTRY ABB=ON PLU=ON L21 AND 591.49.57/RID


```
=> d sta que 137
L15      1959 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.5 AND 46.150.18)/RID
        AND PMS/CI
L16      59 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.6 AND 46.150.18)/RID
        AND PMS/CI
L17      2 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.7 AND 46.150.18)/RID
        AND PMS/CI
L18      2012 SEA FILE=REGISTRY ABB=ON PLU=ON (L15 OR L16 OR L17)
L19      STR
```



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 6 3
 NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE
 L21 1903 SEA FILE=REGISTRY SUB=L18 SSS FUL L19
 L35 STR




NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 9 3
 NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE
 L37 28 SEA FILE=REGISTRY SUB=L21 SSS FUL L35

100.0% PROCESSED 69 ITERATIONS 28 ANSWERS
 SEARCH TIME: 00.00.01

-> d sta que 142
 L15 1959 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.5 AND 46.150.18)/RID
 AND PMS/CI
 L16 59 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.6 AND 46.150.18)/RID
 AND PMS/CI
 L17 2 SEA FILE=REGISTRY ABB=ON PLU=ON (16.536.7 AND 46.150.18)/RID
 AND PMS/CI
 L18 2012 SEA FILE=REGISTRY ABB=ON PLU=ON (L15 OR L16 OR L17)
 L19 STR




NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 6 3
 NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE

L21 1903 SEA FILE=REGISTRY SUB=L18 SSS FUL L19
L40 STR



Ak @28 Id @29

VAR C1=8/21/25/27/28/29
NODE ATTRIBUTES:
CONNECT IS E1 RC AT 23
CONNECT IS E1 RC AT 26
CONNECT IS E1 RC AT 28
CONNECT IS E1 RC AT 29
DEFAULT MLEVEL IS ATOM
DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
RSPEC 1 15 8
NUMBER OF NODES IS 26

STEREO ATTRIBUTES: NONE
L42 715 SEA FILE=REGISTRY SUB=L21 SSS FUL L40

100.0% PROCESSED 1903 ITERATIONS
SEARCH TIME: 00.00.01

715 ANSWERS

=> fil uspatful
FILE 'USPATFULL' ENTERED AT 09:34:44 ON 03 MAR 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 28 Feb 2008 (20080228/PD)
FILE LAST UPDATED: 28 Feb 2008 (20080228/ED)
HIGHEST GRANTED PATENT NUMBER: US7337473
HIGHEST APPLICATION PUBLICATION NUMBER: US2008052798
CA INDEXING IS CURRENT THROUGH 28 Feb 2008 (20080228/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 28 Feb 2008 (20080228/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2007
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2007

=> d bib abs hitstr 154

L54 ANSWER 1 OF 1 USPATFULL on STN
AN 2005:325085 USPATFULL Full-text
TI Luminescent polymers and light emitting devices
IN Nakaya, Tadao, Tokyo, JAPAN
Tobita, Michiaki, Tokyo, JAPAN
Eto, Naonobu, Kanagawa, JAPAN
Kodera, Toshihiro, Tokyo, JAPAN
PI US 2005282998 A1 20051222
AI US 2003-532974 A1 20031024 (10)
WJ 2003-JP13597 20031024
PRAI JP 2002-315029 20021029 PCT 371 date
DT Utility
FS APPLICATION
LREP RADER FISHMAN & GRAUER PLLC, LION BUILDING, 1233 20TH STREET N.W., SUITE
501, WASHINGTON, DC, 20036, US
CLMN Number of Claims: 6
ECL Exemplary Claim: 1
DRWN 31 Drawing Page(s)
LN.CNT 1079
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides luminescent polymers which can easily be formed into a film or a sheet, and which can easily be incorporated into a luminescent element. The present invention also provides luminescent elements which can be produced easily by the employment of the luminescent polymers. One of the luminescent polymers has a repeating unit represented by formula (1): ##STR1## wherein Ar is a group represented by one of formulas (2)-(5); B is $-\text{Y}-\text{Ar.sup.1}$, $-\text{Y}-\text{R}$, or a hydrogen atom, wherein Y is a single bond or $-\text{O}-$, Ar.sup.1 is a group represented by formula (6), and R is an alkyl group or an alkenyl group; n denotes an integer from 1 to 4, wherein Bs may be the same or different from each other when n is 2, 3, or 4, at least one of the Bs in formula (1) must be $-\text{Y}-\text{Ar.sup.1}$ or $-\text{Y}-\text{R}$ when B or Bs in formula (2), (3), (4) or (5) are a hydrogen atom or hydrogen atoms, and at least one of the Bs in the group represented by any one of formulas (2)-(5) must be $-\text{Y}-\text{Ar.sup.1}$ or $-\text{Y}-\text{R}$ when B or Bs bonded to the benzene ring in formula (1) are a hydrogen atom or hydrogen atoms.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 688062-73-PP

(Luminescent polymers for light emitting devices)

RN 688062-73-9 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl-5-[(9-octadecenyl)oxy]-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-2,6-naphthalenediyl (9CI) (CA INDEX NAME)



IT 688062-73-2M 688062-53-5P 688062-55-7P


688062-63-8P 688062-66-0P 688062-69-3P

688062-63-4P

(Luminescent polymers for light emitting devices)


RN 688062-50-2 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl-5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-phenylene] (9CI) (CA INDEX NAME)




RN 688062-53-5 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl-5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-naphthalenediyl (9CI) (CA INDEX NAME)




RN 688062-55-7 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(hexyloxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-naphthalenediyl] (9CI) (CA INDEX NAME)




RN 688062-64-8 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(3-methylbutoxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-naphthalenediyl] (9CI) (CA INDEX NAME)




RN 688062-66-0 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(1,1-dimethylethyl)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl[5-(3-methylbutoxy)-1,3-phenylene]] (9CI) (CA INDEX NAME)




RN 668062-69-3 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-[(3-methylbutoxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-2,6-naphthalenediyl] (9CI) (CA INDEX NAME)



RN 690272-83-4 USPATFULL

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-phenylene] (9CI) (CA INDEX NAME)



-> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 09:34:56 ON 03 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

--> d bib abs hitstr retable tot 153


L53 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2008 ACS on STN
AN 2004:392509 HCAPLUS [Full text](#)
DN 140:397451
TI Luminescent polymers for light emitting devices
IN Nakaya, Tadashi; Ito, Masahiko
J Kodansha, Tokyo
PA Hirose Engineering Co., Ltd., Japan
SO PCT Int. Appl., 100 pp.
CODEN: PIKX02
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004039866	A1	20040513	WO 2003-JP13597	20031024 <--
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MM, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, BG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2003275638	A1	20040525	AU 2003-275638	20031024 <--
	EP 1586600	A1	20051019	EP 2003-758858	20031024 <--
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	CN 1705703	A	20051207	CN 2003-80101905	20031024 <--
	US 2005282998	A1	20051222	US 2005-532974	20050428 <--
PRAI	JP 2002-315029	A	20021029	<--	
	WO 2003-JP13597	W	20031024	<--	
GI					


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention relates to luminescent polymers characterized by comprising repeating units represented by the general formula I wherein Ar is a group represented by one of the general formulas II-V; B is -Y-Ar, -Y-R, or hydrogen; Y is a single bond or -O-; Ar1 is a group represented by the general formula VI; R is alkyl or alkenyl; nB's may be the same or different from each other; when B's in a group represented by one of the general formulas II to V are each hydrogen, at least one of B's in the general formula I is -Y-Ar1 or -Y-R, while when B's bonded to the benzene nucleus in the general formula I are each hydrogen, at least one of B's in a group represented by one of the general formulas II to V is -Y-Ar1 or -Y-R; and n is an integer of 1 to 4 and light-emitting devices made by using the same.


IT 68062-73-98
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(luminescent polymers for light emitting devices)
RN 68062-73-9 HCAPLUS
CN Poly[1,3,4-oxadiazole-2,5-diyl-5-([9-(9-octadecyloxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-2,6-naphthalenediyl) (9CI) (CA INDEX NAME)]




IT C880C2-50-4E 688062-55-5E C880C2-55-7P
 688062-68-8E 688062-68-9P 688062-69-3P
 690242-83-4E
 RI: SPN (Synthetic preparation); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (luminescent polymers for light emitting devices)
 RN 688062-50-2 HCAPLUS
 CN Poly[1,3,4-oxadiazole-2,5-diyl[5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-
 phenylene]] (9CI) (CA INDEX NAME)



RN 688062-53-5 HCAPLUS
 CN Poly[1,3,4-oxadiazole-2,5-diyl[5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-
 phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-naphthalenediyl] (9CI) (CA INDEX
 NAME)




RN 688062-55-7 HCAPLUS
 CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(hexyloxy)-1,3-phenylene]-1,3,4-
 oxadiazole-2,5-diyl-1,4-naphthalenediyl] (9CI) (CA INDEX NAME)




RN 688062-64-8 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(3-methylbutoxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-naphthalenediyl] (9CI) (CA INDEX NAME)




RN 688062-66-0 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-([1,1-dimethylethyl]-1,3-phenylene)-1,3,4-oxadiazole-2,5-diyl[5-(3-methylbutoxy)-1,3-phenylene]] (9CI) (CA INDEX NAME)




RN 688062-69-3 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-(3-methylbutoxy)-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-2,6-naphthalenediyl] (9CI) (CA INDEX NAME)



RN 690272-83-4 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl[5-[[4-(1-methylethyl)phenyl]methoxy]-1,3-phenylene]-1,3,4-oxadiazole-2,5-diyl-1,4-phenylene] (9CI) (CA INDEX NAME)



RETABLE

Referenced Author	Year	VOL	PG	Referenced Work	Referenced
(RAU)	(RYP)	(RVL)	(RPG)	(RWW)	File
Hofer-Gesellschaft Zur	2000			WO 0014144 A1	HCAPLUS
Hofer-Gesellschaft Zur	2000			EP 1109851 A1	HCAPLUS
Hofer-Gesellschaft Zur	2000			JP 202524596 A	
Korea Institute Of Sci	2003			JP 200364003 A	
Korea Institute Of Sci	2003			US 200391859 A1	
Unlax Corp	2001			JP 0177203 A2	HCAPLUS
Unlax Corp	2001			EP 1274760 A2	HCAPLUS
Unlax Corp	2001			JP 2003530476 A	

L53 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 2003:23744 HCAPLUS Full-text

DN 138:238509

TI A new class of aromatic poly(1,3,4-oxadiazole)s and poly(amide-1,3,4-oxadiazole)s containing (naphthalenedioxy)diphenylene groups

AU Hsiao, Sheng-Huei; Liou, Guey-Sheng

CS Department of Chemical Engineering, Tatung University, Taipei, 104, Taiwan

SO Polymer Journal (Tokyo, Japan) (2002), 34(12), 917-924

CODEN: POLJB8; ISSN: 0032-3896

PB Society of Polymer Science, Japan

DT Journal

LA English

AB Polyhydrazides and poly(amide-hydrazide)s having inherent viscosities of 0.31-1.17 dl/g were prepared from two ether-naphthalene-dicarboxylic acids, 4,4'-(1,5-naphthalenedioxy)dibenzoic acid (1,5-NDA) and 4,4'-(2,3-naphthalenedioxy)dibenzoic acid (2,3-NDA) with terephthalic dihydrazide, isophthalic dihydrazide, and p-aminobenzohydrazide via the phosphorylation polycondensation reaction. Examples of the polymers were obtained as colorless, transparent, and readily soluble in polar organic solvents such as N-methyl-2-pyrrolidone (NMP) and N,N-dimethylacetamide (DMAC). They could be cast into transparent, flexible, and tough films with good mechanical strengths from solution in DMAC. These hydrazide polymers exhibited glass-transition temps. (T_{gs}) in the range 179-190°C and could be thermally cyclodehydrated into the corresponding poly(1,3,4-oxadiazole)s and poly(amide-1,3,4-oxadiazole)s in the solid state at elevated temps. The poly(oxadiazole)s had T_{gs} of 228-244°C and could be cast as tough and transparent films. The weight losses temps. above 500°C as revealed by thermogravimetric anal. are 410-500°C in air.

IT 502183-83-7 HCAPLUS
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (new class of aromatic poly(1,3,4-oxadiazole)s and poly(amide-1,3,4-oxadiazole)s containing (naphthalenedi-oxo)diphenylene groups)
 RN 502183-83-7 HCAPLUS
 CN Poly(1,3,4-oxadiazole-2,5-diyl-1,4-phenylene-1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-1,5-naphthalenedi-oxo-1,4-phenylene) (9CI) (CA INDEX NAME)

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

RN 502183-86-0 HCAPLUS
 CN Poly(1,3,4-oxadiazole-2,5-diyl-1,3-phenylene-1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-1,5-naphthalenedi-oxo-1,4-phenylene) (9CI) (CA INDEX NAME)

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Referenced Author (RAU)	Year	VOL (RFL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Cassidy, P	1980	1	179	Thermally Stable Pol	
Connell, J	1992	1		US 5118781	HCAPLUS
Frazer, A	1964	2	1157	J Polym Sci, A	HCAPLUS
Frazer, A	1964	2	1171	J Polym Sci, A	
Gebben, B	1989	46	29	J Membr Sci	HCAPLUS
Gomes, D	2001	42	851	Polymer	HCAPLUS
Hedrich, J	1992	33	3375	Polymer	
Hensema, E	1994	32	513	J Polym Sci, Part A	HCAPLUS
Hensema, E	1994	32	527	J Polym Sci, Part A	HCAPLUS
Higashi, F	1980	18	1639	J Polym Sci, Polym C	HCAPLUS
Higashi, F	1980	18	2905	J Polym Sci, Polym C	HCAPLUS
Hsiao, S	1997	35	3385	J Polym Sci, Part A	HCAPLUS
Hsiao, S	1998	36	1847	J Polym Sci, Part A	HCAPLUS
Hsiao, S	1999	37	1169	J Polym Sci, Part A	HCAPLUS
Hsiao, S	1997	198	2153	Macromol Chem Phys	HCAPLUS
Hsiao, S	1997	198	819	Macromol Chem Phys	HCAPLUS
Hsiao, S	1997	30	165	Macromolecules	HCAPLUS
Huang, W	1999	32	118	Macromolecules	HCAPLUS
Iwakura, Y	1965	3	45	J Polym Sci, A	HCAPLUS
Janietz, S	2002	203	427	Macromol Chem Phys	HCAPLUS
Janietz, S	2002	203	433	Macromol Chem Phys	HCAPLUS
Lee, Y	1999	105	185	Synth Met	HCAPLUS
Maglio, G	1998	25	6407	Polymer	
Nanjan, M	1988	12		Encyclopedia of Poly	
Preston, J	1978	65	13	J Polym Sci, Polym S	HCAPLUS
Saegusa, Y	1997	198	1799	Macromol Chem Phys	HCAPLUS
Schulz, B	1996	30	353	React Funct Polym	HCAPLUS
Song, S	1999	32	1482	Macromolecules	HCAPLUS
Thaemlitz, C	1992	33	3278	Polymer	HCAPLUS
Yang, H	1989		315	Aromatic High-Streng	
Yu, W	1998	31	4838	Macromolecules	HCAPLUS

153 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2008 ACS ON STN

AN 2002:387992 HCAPLUS [Full-text](#)

DN 137:69913

TI Effect of carbazole-oxadiazole excited-state complexes on the efficiency of dye-doped light-emitting diodes

AU Jiang, Xuezhong; Register, Richard A.; Killeen, Kelly A.; Thompson, Mark E.; Pachonitzka, Florian; Heibner, Thomas R.; Sturm, James C.

CS Department of Chemical Engineering, Princeton University, Princeton, NJ, 08544, USA


SO Journal of Applied Physics (2002), 91(10, Pt. 1), 6717-6724

CODEN: JAPIAU; ISSN: 0021-8979

PB American Institute of Physics
 DT Journal
 LA English
 AB

Interactions between hole-transporting carbazole groups and electron-transporting 1,3,4-oxadiazole groups were studied by photoluminescence and electroluminescence (EL) spectroscopy, in blends of poly(N-vinylcarbazole) with 2-tert-butylphenyl-5-biphenyl-1,3,4-oxadiazole (PVK:PBD) and in random copolymers with carbazole and oxadiazole groups attached as side chains. Different excited-state complexes form in the blends, which exhibit exciplexes, and in the copolymers, which manifest electropoles, due to topol. constraints on the position of carbazole and oxadiazole units in the polymer. Both types of complex red shift the EL spectra of the matrixes compared with pure PVK homopolymer, although the shift is significantly greater for the electropole. The presence of these complexes has a profound effect on the external quantum efficiency of dye-doped organic light-emitting diodes employing the blends or copolymers as matrixes, as it strongly affects the efficiency of Forster energy transfer from the matrix to the dye. Single-layer devices doped with either Coumarin 47 (C47), Coumarin 6 (C6), or Nile Red (NR) were compared. Among the three dye-doped PVK:PBD devices, C6 doping yields the highest efficiency, while NR doping produced the most efficient copolymer devices, consistent with the degree of overlap between the EL spectrum of the matrix material and the absorption spectrum of the dye.

IT 4528(5-17-8
 RL: PRP (Properties)
 (effect of carbazole-oxadiazole excited-state complexes on efficiency
 of dye-doped light-emitting diodes)
 RN 292869-72-8 HCAPLUS
 CN 1,3,4-Oxadiazole, 2-[4-[(4-ethenylphenyl)methoxy]phenyl]-5-phenyl-,
 homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 292869-70-6
 CMF C23 H18 N2 O2



RETABLE

Referenced Author (RAU)	Year (RKY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Antoniadis, H	1998	173	3055	Appl Phys Lett	HCAPLUS
Baldo, M	1998	1395	151	Nature (London)	HCAPLUS
Blom, P	1998	51	479	Philips J Res	HCAPLUS
Bulow, V	1998	287	455	Chem Phys Lett	HCAPLUS
Burkhart, R	1983	16	820	Macromolecules	HCAPLUS
Burroughes, J	1990	347	539	Nature (London)	HCAPLUS
Cao, Y	1999	397	414	Nature (London)	HCAPLUS
Forster, T	1948	12	55	Ann Phys	HCAPLUS
Gebler, D	1998	108	17842	J Chem Phys	HCAPLUS
Giro, G	2000	318	137	Chem Phys Lett	HCAPLUS
Granlund, T	1997	81	8097	J Appl Phys	HCAPLUS
Greenham, N	1994	6	1491	Adv Mater	HCAPLUS
Gross, M	2000	1405	1661	Nature (London)	HCAPLUS
Hebner, T	1998	173	1775	Appl Phys Lett	HCAPLUS
Ho, P	2000	1404	1481	Nature (London)	HCAPLUS
Hu, B	1994	176	2419	J Appl Phys	HCAPLUS
Jiang, X	2000	12	2542	Chem Mater	HCAPLUS
Jiang, X	1997	85	175	Synth Met	HCAPLUS
Johnson, G	1995	62	4697	J Chem Phys	HCAPLUS
Johnson, G	1995	67	175	Pure Appl Chem	HCAPLUS
Kalinowski, J	2000	176	2352	Appl Phys Lett	HCAPLUS
Kalinowski, J	2000	33	2379	J Phys D	HCAPLUS
Kido, J	1993	63	2627	Appl Phys Lett	HCAPLUS
Kido, J	1995	67	2281	Appl Phys Lett	HCAPLUS
Lee, Y	2001	179	308	Appl Phys Lett	HCAPLUS
Madigan, C	2001	1624	1211	Mater Res Soc Symp P	HCAPLUS
Osaheni, J	1994	127	1739	Macromolecules	HCAPLUS
Parker, I	1999	185	12441	J Appl Phys	HCAPLUS
Partridge, R	1983	124	1755	Polymer	HCAPLUS

Peng, Z	1998	10	680	Adv Mater	HCAPLUS
Peschenitzka, F	1999	174	1913	Appl Phys Lett	HCAPLUS
Peschenitzka, F	2001	178	2584	Appl Phys Lett	HCAPLUS
Peschenitzka, F	2001	179	4354	Appl Phys Lett	HCAPLUS
Rippen, G	1980	152	165	Chem Phys	HCAPLUS
Sato, H	1997	18	454	Polym Adv Technol	HCAPLUS
Shim, H	1997	130	1749	Macromolecules	HCAPLUS
Shoustikov, A	1998	14	3	IEEE J Sel Top Quant	HCAPLUS
Stamper, W	2000	1256	1351	Chem Phys	HCAPLUS
Tamoto, N	1997	19	1077	Chem Mater	HCAPLUS
Tang, C	1987	151	1913	Appl Phys Lett	HCAPLUS
Tao, X	1997	171	1921	Appl Phys Lett	HCAPLUS
Wang, J	1998	110	1230	Adv Mater	HCAPLUS
Wang, J	2001	1123	6179	J Am Chem Soc	HCAPLUS
Wang, Y	1997	144	1263	IEEE Trans Electron	HCAPLUS
Wu, C	1997	170	1348	Appl Phys Lett	HCAPLUS
Wu, C	1997	144	1269	IEEE Trans Electron	HCAPLUS

L53 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2008 ACS ON STN

AN 2001:65909 HCAPLUS [Full-text](#)

DN 134:252739

TI Synthesis and characterization of new poly(arylene ether 1,3,4-oxadiazole)s based on dihydroxynaphthalene isomers

AU Bottino, Francesco A.; Di Pasquale, Giovanna; Pollicino, Antonino

CS Dipartimento di Metodologie fisiche e Chimiche per l'Ingegneria, Facoltà

di Ingegneria, Università di Catania, Catania, 95125, Italy

SO Polymer Bulletin (Berlin) (2000), 45(4-5), 345-350

CODEN: POBUDR; ISSN: 0170-0839

PB Springer-Verlag

DT Journal

LA English

AB A series of new poly(arylene ether 1,3,4-oxadiazole)s has been obtained starting from a difluorosubstituted monomer containing 1,3,4-oxadiazole rings and some dihydroxynaphthalene isomers. The polymers have been prepared by polycondensation in solution and have been obtained in quant. yield. They had inherent viscosity from 0.2 to 0.82 dL/g, showed good thermal stability (10% weight loss temps. in nitrogen and air were above 460 and 450°C, resp.) and high glass transition temps. (in the range of 197-232°C). The polymers were characterized by elemental and IR analyses, GPC and wide angle X-ray diffraction.

IT 331467-87-48 1314C2-90-9P

RI: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

(synthesis and characterization of poly(arylene ether

1,3,4-oxadiazole)s based on dihydroxynaphthalene isomers)

RN 331462-87-4 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-1,4-phenylene-1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-1,5-naphthalenediyl-1,4-phenylene] (9CI) (CA INDEX NAME)

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

RN 331462-90-9 HCAPLUS

CN Poly[1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-1,4-phenylene-1,3,4-oxadiazole-2,5-diyl-1,4-phenyleneoxy-2,3-naphthalenediyl-1,4-phenylene] (9CI) (CA INDEX NAME)

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

RETABLE

Referenced Author	[Year]	[VOL]	[PG]	Referenced Work	Referenced
(RAU)	(RYP)	(RVL)	(RPG)	(RWK)	File
Attwood, T	1981	122	1096	Polymer	HCAPLUS
Bottino, F	1995	131	135	Eur Polym J	HCAPLUS
Bottino, F	1995	133	1843	J Polym Sci Part A Polym Chem	HCAPLUS

Bottino, F	1996	34	1305	J Polym Sci Polym Ch	HCAPLUS
Bottino, F	1999	20	405	Macromol Rapid Comm	HCAPLUS
Bottino, F				Macromolecules (subm)	
Bottino, F	1998	39	3199	Polymer	HCAPLUS
Cassidy, P	1980			Thermally Stable Pol	
Colquhoun, H	1988	29	1902	Polymer	HCAPLUS
Connell, J	1991	29	1667	J Polym Sci Part A:	HCAPLUS
Connell, J	1992	33	3507	Polymer	HCAPLUS
Critchley, J	1983			Heat-Resistance Poly	
Cummings, D	1991	A28	793	I Macromol Sci Chem	HCAPLUS
Hedrick, J	1988	21	1883	Macromolecules	HCAPLUS
Hergenrother, P	1988	7	1640	Encyclopedia of Poly	
Kim, K	1992	46	1	J Appl Polym Sci	HCAPLUS
Kricheldorf, H	1984	25	1151	Polymer	HCAPLUS
Lucas, M	1993	31	2179	J Polym Sci Part A:	HCAPLUS
Rose, J	1974	15	456	Polymer	HCAPLUS
Saegusa, Y	1993	194	177	Macromol Chem	HCAPLUS
Staniland, P	1992	33	1976	Polymer	HCAPLUS
Stille, J	1991	14	870	Macromolecules	HCAPLUS
Tullios, G	1991	24	6059	Macromolecules	HCAPLUS
Ueda, M	1987	20	2675	Macromolecules	HCAPLUS
Ueda, M	1990	23	1611	Macromolecules	

153 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 2000:507058 HCAPLUS [Full-text](#)

DN 133:238675

TI Statistical Copolymers with Side-Chain Hole and Electron Transport Groups for Single-Layer Electroluminescent Device Applications

AU Jiang, Xuezhong; Register, Richard A.; Killeen, Kelly A.; Thompson, Mark E.; Paschenitzka, Florian; Sturm, James C.

CS Department of Chemical Engineering, Princeton University, Princeton, NJ, 08544, USA

SO Chemistry of Materials (2000), 12(9), 2542-2549

CODEN: CMATEX; ISSN: 0897-4756

PB American Chemical Society

DT Journal

LA English

AB New statistical copolymers with bipolar carrier transport abilities were synthesized through free radical copolym. of N-vinylcarbazole (NVK, hole-transport monomer) with either of two substituted styrenes containing oxadiazole groups, which serve as electron transport monomers: 2-phenyl-5-[[4-(4-vinylphenyl)methoxy]phenyl]-1,3,4-oxadiazole, PVO, and 2-(4-tert-butylphenyl)-5-[[4-(4-vinylphenyl)methoxy]phenyl]-1,3,4-oxadiazole, BVO. In all cases, the charge transport moieties exist in side groups, and carrier transport proceeds by hopping. Copolym. yields homogeneous statistical copolymers of widely variable composition and thus tunable carrier transport properties; the copolymers are transparent in the visible region and form good films. Compared with systems where the oxadiazole units are incorporated by simply blending a small-mol. oxadiazole into poly(N-vinylcarbazole), the glass transition temps. of these copolymers are high, and there is no possibility for the oxadiazole units to phase-sep. through recrystn. The glass transition temps. for the copolymers show pos. deviations from a harmonic mixing rule, suggesting some interaction between the NVK and BVO residues; however, blends of the homopolymers show limited miscibility at best, indicating that copolym. is essential to produce a homogeneous material. Incorporating the oxadiazole units reduces the hole transport ability of these copolymers somewhat relative to NVK homopolymer, but single-layer dye-doped devices emitting blue, green, and orange light fabricated from these copolymers all showed good efficiency.

IT 292869-72-8P

RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(statistical vinyl copolymers with side-chain carbazole and oxadiazole hole and electron transport groups for single-layer electroluminescent devices)


RN 292869-72-8 HCAPLUS

CN 1,3,4-Oxadiazole, 2-[[4-[(4-ethenylphenyl)methoxy]phenyl]-5-phenyl-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 292869-70-6

CMF C23 H18 N2 O2



RETABLE

Referenced Author (RAU)	Year (RKY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Bao, Z	1998	10	1201	Chem Mater	HCAPLUS
Bettenhausen, J	1996	8	507	Adv Mater	HCAPLUS
Brooks, G	1997	106	6418	J Chem Phys	HCAPLUS
Buchwald, E	1995	7	839	Adv Mater	HCAPLUS
Burroughes, J	1990	347	539	Nature	HCAPLUS
Cacialli, F	1995	175	161	Synth Met	HCAPLUS
Chen, Z	1999	32	4351	Macromolecules	HCAPLUS
Chung, S	1998	10	1112	Adv Mater	HCAPLUS
Fineman, M	1950	5	259	J Polym Sci	HCAPLUS
Greenham, N	1993	365	628	Nature	HCAPLUS
Hart, R	1961	47	143	Makromol Chem	HCAPLUS
Hebner, T	1998	73	1775	Appl Phys Lett	HCAPLUS
Heischkel, Y	1998	199	869	Macromol Chem Phys	HCAPLUS
Jiang, X	1997	87	175	Synth Met	HCAPLUS
Kido, J	1993	63	2627	Appl Phys Lett	HCAPLUS
Kido, J	1995	67	2281	Appl Phys Lett	HCAPLUS
Kido, J	1996	1	161	Chem Lett	HCAPLUS
Li, X	1995	7	898	Adv Mater	HCAPLUS
Pai, D	1970	52	2285	J Chem Phys	HCAPLUS
Pel, Q	1995	7	1568	Chem Mater	HCAPLUS
Peng, Z	1998	10	680	Adv Mater	HCAPLUS
Peng, Z	1998	10	2086	Chem Mater	HCAPLUS
Pommerehne, J	1995	7	551	Adv Mater	HCAPLUS
Rempp, P	1991	1	1	Polymer Synthesis, 2	HCAPLUS
Strukelj, M	1995	265	1969	Science	HCAPLUS
Tang, C	1987	51	913	Appl Phys Lett	HCAPLUS
Wu, C	1996	69	3117	Appl Phys Lett	HCAPLUS
Wu, C	1997	70	1348	Appl Phys Lett	HCAPLUS
Wu, C	1997	44	1269	IEEE Trans Electron	HCAPLUS

=> d his

(FILE 'HOME' ENTERED AT 08:47:36 ON 03 MAR 2008)
SET COST OFF

FILE 'HCAPLUS' ENTERED AT 08:48:00 ON 03 MAR 2008

```

1.1      1 S US20050282998/PN OR (US2005-532974# OR W02003-JP13597 OR JP20
        E NAKAYA/AU
        E NAKAYA T/AU
1.2      573 S E3,E5
        E NAKAYA NAME/AU
1.3      8 S E4
        E TADAO/AU
        E TOBITA/AU
        E TOBITA M/AU
1.4      43 S E3,E16
1.5      2 S E29
        E MICHIAKI/AU
        E ETO/AU
        E ETO M/AU
1.6      62 S E3,E4,E7
        E NAKONOBU/AU
        E KODERA/AU
        E KODERA T/AU
1.7      14 S E3,E34
        E KODERA NAME/AU
1.8      4 S E4
        E TOSHIHIRO/AU
1.9      1 S E3
        E HIROSE/CO

```

```

L10      172 S E4-E52/CO,PA,CS
          E E15+ALL
L11      33 S E2/PA,CO,CS
          SEL RN L1

FILE 'REGISTRY' ENTERED AT 08:51:45 ON 03 MAR 2008
L12      51 S E1-E51
L13      8 S L12 AND N2COC/ES AND 46.150.18/RID
L14      2040 S N2COC/ES AND 46.150.18/RID AND PMS/CI
L15      1959 S (16.536.5 AND 46.150.18)/RID AND PMS/CI
L16      59 S (16.536.6 AND 46.150.18)/RID AND PMS/CI
L17      2 S (16.536.7 AND 46.150.18)/RID AND PMS/CI
L18      2012 S L15-L17
L19      STR
L20      50 S L19 SAM SUB=L18
L21      1903 S L19 FUL SUB=L18
          SAV TEMP L21 NELSON532A/A
L22      103 S L21 AND 591.49.57/RID
L23      41 S L22 AND 1/NC
L24      62 S L22 NOT L23
L25      5 S L23 AND (C38H44N4O3 OR C25H20N4O3 OR C26H22N4O3 OR C30H22N4O3
L26      8 S L23 AND (C38H22N4O5 OR C32H18N4O4)
          SEL RN 3 4 7 8
L27      4 S L26 AND E52-E55
L28      1800 S L21 NOT L22
L29      859 S L28 AND 1/NC
L30      661 S L29 NOT (OC4-C6 OR NC4-C6 OR C5-C6-C6 OR C6-C6)/ES
L31      653 S L30 NOT 46.150.1/RID
L32      618 S L31 NOT NC4-C6-C6/ES
L33      515 S L32 NOT (S OR P OR SI)/ELS
L34      491 S L33 NOT 2 PROPENOIC
L35      STR
L36      3 S L35 SAM SUB=L21
L37      28 S L35 FUL SUB=L21
          SAV TEMP L37 NELSON532B/A
L38      8 S L37 AND (C30H22N4O3 OR C26H20N4O3 OR C18H16N2O2 OR C23H18N2O2
L39      4 S L38 AND 1/NC
L40      STR
L41      34 S L40 SAM SUB=L21
L42      715 S L40 FUL SUB=L21
          SAV TEMP L42 NELSON532C/A
L43      128 S L42 AND 1/NC
L44      111 S L43 NOT (P OR S OR SI OR B)/ELS
L45      76 S L44 NOT (OC4-C6 OR NC4-C6 OR C5-C6-C6 OR C6-C6 OR NC4-C6-C6)/
L46      15 S L45 AND 4/N
          SEL RN 6-9 12-15
L47      7 S L46 NOT E56-E63
L48      20 S L13,L25,L27,L39,L47
          SAV TEMP L48 NELSON532D/A

FILE 'HCAPLUS' ENTERED AT 09:32:31 ON 03 MAR 2008
L49      14 S L48
L50      4 S L49 AND PY<=2002 NOT P/DT
L51      1 S L49 AND (PD<=20021029 OR AD<=20021029 OR PRD<=20021029) AND P
L52      1 S L1-L11 AND L49
L53      5 S L50-L52

FILE 'USPATFULL' ENTERED AT 09:34:00 ON 03 MAR 2008
L54      1 S L48

FILE 'REGISTRY' ENTERED AT 09:34:11 ON 03 MAR 2008

FILE 'USPATFULL' ENTERED AT 09:34:44 ON 03 MAR 2008

FILE 'HCAPLUS' ENTERED AT 09:34:56 ON 03 MAR 2008

```

->